

Combo T



“Set your maintenance costs to zero with a set made of components of maximum reliability, security and speed that guarantees extended trouble-free operation.”

UNIVERSAL

More than 120 different currency databases available for each model and presence in every continent.

RELIABLE

Reduced need for servicing due to technology that has been patented and contrasted in the market with millions of units sold in several business sectors.

FLEXIBLE

Ad-hoc recycling solutions per business sectors that can be customized for every need.

The top performances of each component are merged in one final product.

Experts in creating complete cash management systems, we are offering ad hoc solutions for note and coin recycling for specific projects. We create innovative, customer-tailored solutions.



Technical information

The complete coin control: Acceptance, sorting, recovery, payment and return.

- Available for more than 100 types of coins.
- Capacity to hold up to 35 1 Euro coins in the Escrow.
- Easy access for maintenance and cleaning.
- Protocol: ccTalk
- Available with dongle card: direct operation from the machine via serial.
- Specifically designed for manufacturers of Parking, Retail and Commercial kiosks.

Coin characteristics

Coin diameter	16,25 mm - 32 mm
Coin thickness	1,2 mm - 3,3 mm
Acceptance speed	2,5 coins/ second

Environment

Working temperature	+5° a +55°C
Storage temperature	-25° A +70°C
Relative humidity	95% H.R.

Mechanical characteristics

Dimensions	Width	220 mm
	Height	705 mm
	Depth	170 mm
Weight		12 kg

Complete solution

The Combo T is a high security coin set and is integrated by:


- **Modular classification:**

Coin entry through a coin guide to a modular X6 high-tech DSP validator and a 5-way coin sorter and recovery engine.



- **Hopper U-II / Discriminator:**

3 U-II Hoppers or Discriminators for the return of up to 6 types of coins.



- **Escrow:**

One coin retention escrow.